

EAST Search History

Ref #	.Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	140	(failover standby) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L2	56	L1 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L3	25	L1.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L4	14	L3 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L5	0	"70706555".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L6	0	L5 and synchroniz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L7	2	"7076555".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L8	1	L7 and synchroniz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L9	0	proxy with web with server with L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11

EAST Search History

L10	2	L7 and proxy with web with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L11	1	L7 and proxy with web with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L12	947	web with ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L13	0	L7 and L12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L14	2	L7 and server and ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L15	2	L7 and server with ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L16	0	delet\$3 with cop\$3 with data with ack\$ with receipt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L17	45	delet\$3 with cop\$3 with data with ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L18	23	L17 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11

EAST Search History

L19	36	((("5640394") or ("6070199") or ("6133846") or ("6172980") or ("6226680") or ("6247060") or ("6252851") or ("6334153") or ("6338078") or ("6393458") or ("6460080") or ("6546428") or ("6587884") or ("6629697") or ("6665725") or ("6775706") or ("6829697") or ("6909713"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/27 17:11
L20	2	"20020016843"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L21	6	"20020174218" "20030014662"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L22	2	"20030037154"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L23	2	"20030079033"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L24	3	"20040024873"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L25	76	proxy with failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L26	10	L25.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L27	1	L25.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11

EAST Search History

L28	76	proxy with failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L29	852	709/248.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L30	13294	709/220,222,224,228,236,237.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L31	140	(failover standby) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L32	0	L29 and L31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L33	14	L30 and L31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L34	319	ack\$8 with (failover standby)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L35	38	L34.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L36	29	L35 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L37	190	L34 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11

EAST Search History

L38	2215	(inform\$3 ack\$8) with (failover standby handover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L39	147	(inform\$3 ack\$8) with (failover handover) with complet\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L40	73	L39 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L41	2	"20030200465"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L42	2	"6857004".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L43	64	acknowledgement with withhold\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L44	6	acknowledg\$7 adj3 withhold\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L45	5	L44 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L46	690	acknowledg\$7 with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L47	40	acknowledg\$7 with failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11

EAST Search History

L48	18	L47 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L49	725	acknowledg\$7 with primary with secondary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L50	47	acknowledg\$7 with primary with secondary with (proxy server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L51	27	L50 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L52	97	acknowledg\$7 with primary with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L53	106	(acknowledg\$7 ack) with primary with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
L54	66	L53 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11